Sexual well-being in older European adults

Seksuell Helse og Seksuelle Rettigheter 2020

BENTE TRÆEN

Bente.traen@psykologi.uio.no

THE HEALTHY SEXUAL AGING PROJECT

 A MIXED-METHOD STUDY OF SEXUAL FUNCTION AND SEXUAL WELL-BEING IN OLDER ADULTS IN NORWAY, DENMARK, BELGIUM, UNITED KINGDOM, CROATIA, AND PORTUGAL

• Financed by the Norwegian Research Council 2016-2020

The Research Team

University of Oslo:

- Professor Bente Træen (PI),
- Professor Ingela Lundin Kvalem
- PhD students Nantje Fischer and Sidsel Schaller

University of Zagreb:

- Professor Aleksandar Stulhofer (PI)
- Researcher Tanja Jurin
- PhD student Matija Sinkovic

<u>University of Southampton/ University of Sheffield, United Kingdom:</u>

- Professor Cynthia Graham (PI)
- Reader in Psychology Dr Sharron Hinchliff
- PhD student Lauren B. Towler

University of Copenhagen, Denmark

- Associate Professor Gert Martin Hald (PI)
- Researcher Theis Lange

University of Leuven, Belgium:

- Professor Erick Janssen (PI)
- Professor Paul Enzlin

ISPA-University Institute, Portugal:

 Assistant Professor Ana Alexandra Carvalheira (PI)

Population	Procedure		Response rate
		Participants	
Random, nationally	Step 1: Telephone contact with the	Norway n = 1271	Norway = 68%
representative	selected sample by trained		
samples of non-	interviewers to ask for participation.	Denmark n = 1045	Denmark = 52%
institutionalized 60-	Among those who volunteer to		
75 year olds	participate, socio-demographic	Belgium = 991	Belgium = 57%
	characteristics was registered.		
	Step 2: Postal questionnaires with	Portugal n = 509	Portugal = 26%
	prepaid return envelopes. Socio-		
Subsample of	demographic questions were repeated	Couples:	
couples randomly	to validate the questionnaire.	Norway $n = 218$	
chosen from the	Step 3: One postal reminder was sent	Denmark n = 207	
larger sample.	to non-respondents. In Portugal the	Belgium n = 135	
	reminder was done by phone	Portugal n = 117	

Sexual activity and sexual satisfaction



Sexual satisfaction and sexual activity (%)

		Men				Women		
	Norway	Denmark	Belgium	Portugal	Norway	Denmark	Belgium	Portugal
Sexually satisfaction								
Dissatisfied	23	19	28	22	19	14	23	13
Neither nor	28	26	27	18	30	31	37	41
Satisfied	50	55	45	61	51	55	41	46
Sexual activity in the past year								
Yes	91	89	84	83	74	78	61	73

Frequency of sexual activity in the past month (%)

		Men				Women		
	Norway	Denmark	Belgium	Portugal	Norway	Denmark	Belgium	Portugal
Sexual intercourse								
Not once	36	36	35	20	46	44	60	37
1-3 times/month	37	40	43	30	33	31	25	36
1+ times/week	28	23	22	50	21	25	26	28
•								
Masturbation								
Masturbation Not once	35	47	43	58	60	69	64	73
Trot office	33	17	13	30		03	0 1	, 3
1-3 times/month	36	30	34	23	35	27	30	21
·								
1+ times/week	29	24	23	20	6	4	6	5

Sexual activity during the past 12 months in men (Adjusted Odds Ratio, AOR)

	Norway		
	%	AOR	
Age group			
60-64 years	96***	1.0	
65-69 years	89		
70-75 years	86	0.3	
Level of education			
Primary	79 **	1.0	
Secondary	90		
Tertiary	93	2.9	
Place of residence			
Rural	90		
Medium urban	89		
Urban	95		
Relationship status			
No partner	70***	1.0	
Partner	95	8.4	
Retired from work			
No	96***		
Yes	87		
Church attendance			
Never	92		
Less than once a year	88		
Once or twice a year	89		
Once a month or more	96		

Sexual activity during the past 12 months in women (Adjusted Odds Ratio, AOR)

	Norway	7	
	%	AOR	
Age group			
60-64 years	80***		
65-69 years	79		
70-75 years	62		
Level of education			
Primary	60**	1.0	
Secondary	71		
Tertiary	79	2.6	
Place of residence			
Rural	76		
Medium urban	73		
Urban	75		
Relationship status			
No partner	37 ***	1.0	
Partner	90	15.6	
Retired from work			
No	81***		
Yes	71		
Church attendance			
Never	73		
Less than once a year	78		
Once or twice a year	72		
Once a month or more	74		

Sexual satisfaction in men (Adjusted Odds Ratio, AOR)

	Norwa	ay
	%	AOR
Age group		
60-64 years	51	
65-69 years	50	
70-75 years	47	
Level of education		
Primary	38	
Secondary	52	
Tertiary	50	
Place of residence		
Rural	49	
Medium urban	50	
Urban	50	
Relationship status		
No partner	17 ***	1.0
Partner	56	5.7
Retired from work		
No	50	
Yes	49	
	_	
Church attendance		
Never	47 *	1.0
Less than once a year	46	
Once or twice a year	49	
Once a month or more	67	2.2

Sexual satisfaction in women (Adjusted Odds Ratio, AOR)

	Norw	ay
	%	AOR
Age group		
60-64 years	51	
65-69 years	52	
70-75 years	49	
Level of education		
Primary	49	
Secondary	53	
Tertiary	50	
Place of residence	ı	
Rural	57	
Medium urban	48	
Urban	46	
Relationship status		
No partner	26***	1.0
Partner	60	4.7
Retired from work		
No	51	
Yes	51	
Church attendance		
Never	52	
Less than once a year	47	
Once or twice a year	52	
Once a month or more	52	

Men Women Less sexually satisfied **Most sexually satisfied** Norway and Most masturbation Norway and Medium masturbation Denmark Medium sexual intercourse Denmark Medium sexual intercourse **Least sexually satisfied** Least sexually satisfied Medium masturbation Most masturbation Belgium Medium sexual intercourse Least sexual intercourse Belgium **Most sexually satisfied Less sexually satisfied** Least masturbation Least masturbation Portugal Portugal Most sexual intercourse Most sexual intercourse

Change in sexual interest and enjoyment



Change in sexual interest and overall sexual enjoyment compared to 10 years ago (%)

		Men				Women		
	Norway	Denmark	Belgium	Portugal	Norway	Denmark	Belgium	Portugal
Sexually Interest								
Lower	54	50	59	72	68	64	73	77
About the same	44	48	37	24	26	33	23	20
Higher	4	3	4	3	6	3	4	4
Sexual enjoyment								
Lower	54	45	65	73	56	56	70	74
About the same	40	51	28	22	34	38	22	21
Higher	7	4	8	6	10	6	8	4
			-				-	

Rating of present interest in sex compared to 10 years ago in men (Multiple regression analysis, standardized regression coefficients, weighted data)

	Norway
Structural factors	

Structural factors

Level of education

Personal factors

Age	-0.1*
Sexual activity throughout life	
Health	-0.2***

Interpersonal factors

Duration of the relationship	-0.1**
Emotional closeness to partner during sex	-0.1*

Rating of present interest in sex compared to 10 years ago in women (Multiple regression analysis, standardized regression coefficients, weighted data)

·		
Norway		
Norway		

Structural factors

Level of education

Personal factors

Age

Sexual activity throughout life

Health

Interpersonal factors

Duration of the relationship	-0.1**
Emotional closeness to partner during sex	-0.3***

Rating of present sexual enjoyment compared to 10 years ago in men (Multiple regression analysis, standardized regression coefficients, weighted data)

	Norway
Structural factors	-
Level of education	
Danganal factors	
Personal factors	
Age	
Sexual activity throughout life	
Health	-0.2***
Interpersonal factors	
Duration of the relationship	-0.2**
Emotional closeness to partner during sex	-0.1**

Rating of present sexual enjoyment compared to 10 years ago in women (Multiple regression analysis, standardized regression coefficients, weighted data)

Norway

Structural factors

Level of education

Personal factors

Age

Sexual activity throughout life

Health

Interpersonal factors

Duration of the relationship	-0.2**
Emotional closeness to partner during sex	-0.3***

Sexual problems



Percent men who have experienced sexual problems in the period of three months or longer in the past 12 months (weighted data, percent)

	Norway
Lacked interest in having sex	20
Lacked enjoyment in sex	13
Felt anxious during sex	6
Felt physical pain as a result of sex	3
Felt no excitement or arousal during sex	14
Did not reach a climax or took a long time to reach a climax despite feeling excited	33
Reached a climax more quickly than you would like	38
Had trouble getting or keeping an erection	50

Percent women who have experienced sexual problems in the period of three months or longer in the past 12 months (weighted data, percent)

	Norway
Lacked interest in having sex	47
Lacked enjoyment in sex	30
Felt anxious during sex	6
Felt physical pain as a result of sex	19
Felt no excitement or arousal during sex	26
Did not reach a climax or took a long time to reach a climax despite feeling excited	47
Reached a climax more quickly than you would like	10
Had an uncomfortable dry vagina	40

Number of sexual problems (%)

	Men	Women
0	30	31
1	26	26
2	20	15
3	13	13
4	6	7
5	4	5
6 +	1	4

How distressful are sexual problems among men (%)

	No	Mild	Moderate	Serious
Lacked interest	38	29	28	6
Lacked enjoyment	33	33	23	11
Anxious during sex	8	35	48	9
Physical pain during sex	4	60	28	8
No arousal	18	43	30	9
No orgasm/delayed orgasm	29	44	23	4
Premature ejaculation	23	50	24	3
Problems with erection	11	34	41	14

11/06/2020

How distressful are sexual problems among Norwegian women (%)

	None	Mild	Moderate	Seroius
Lacked interest	52	29	17	2
Lacked enjoyment	30	33	31	6
Anxious during sex	18	34	42	5
Physical pain during sex	6	37	37	20
No arousal	26	38	28	8
No orgasm/delayed orgasm	31	44	20	5
Premature ejaculation	47	41	12	0
Dry vagina	5	42	37	16

Sexual avoidance last year

	Men	Women
Never	59	33
Seldom	22	28
Sometimes	8	24
Often	5	6
Always/almost always	7	10

Motives for avoiding sex among partnered men and women (%)

	Men	Women
Relationship problems	6	6
Far of STIs	0	0
Sexual problems	20	10
Partner's sexual problems	24	19
Negative body image	0	3
Health problems	20	23
Not interested in sex anylonger	7	11
Other	33	39

Meeting health professionals



	Men	Women
Percent having sought help for a sexual	12%	5%
problem during the past 5 years		

Reasons for seeking professional help for a sexual problem (%)

	Men	Women
Sexual activity is important for me	55	22
Sexual activity is important for my relationship	45	44
Partner wanted me to	7	12
The change in my sex-life had a negative impact on how I felt	20	18
The change in my sex-life had a negative impact on our relationship	13	9
I was afraid my partner would find a new sex partner	1	9
I was worried I would not be able to meet a new sex partner	7	3
Other reasons	13	21

Having been asked by health professionals about one's sex-life during the past 5 years

- Men 15 %
- Women 11 %





Use of lubricants and use of drugs like Viagra, Cialis, Levitra, or Spedra to assist sexual function in 60-75 year old men and women in Norway (%).

	Men	Women	
Use of lubricants		31	
Use of medication	26		

Use of medication such as Viagra, Cialis, Levitra or Spedra to assist sexual function, in 60-75 year old Norwegian men with and without erection difficulties (%).

		No erection difficulties
Use of medication		
	42	11



Experience of non-consensual sex during life in men

	Men
Never	94
Before the age of 18	4
After the age of 18	1.5
Before and after the age of 18	0.3

Experience of non-consensual sex during life in women

	Women
Never	76
Before the age of 18	9
After the age of 18	11
Before and after the age of 18	4


Experience of non-consensual sex <u>before</u> the age of <u>18</u>

	Men		Won	Women		
	%	AOR	%	AOR		
Age						
60-64 years						
65-69 years						
70-65 years						
Relationship status						
No relationship	7***	1.0				
In a relationship	3	0.5^{**}				
Sexual orientation						
Heterosexual	3***	1.0				
Non-heterosexual	13	4.6***				
Religious affiliation						
No			14**	1.0		
Christian no denomin.						
Roman Catholic						
Protestant			8	0.5***		
Other						
Level of education						
Primary						
Secondary						
Tertiary						
Country						
Norway			13**	1.0		
Denmark						
Belgium			10	0.6^{*}		
Portugal			4	0.3***		


Experience of non-consensual sex <u>after</u> the age of 18

	Men		 Wom	en	
	%	AOR	 %	AOR	
Age					
60-64 years					
65-69 years					
70-65 years					
Relationship status					
No relationship			16***	1.0	
In a relationship			11	0.7^{**}	
Sexual orientation					
Heterosexual	2***	1.0			
Non-heterosexual	8	5.5***			
Religious affiliation					
No					
Christian no denomin.					
Roman Catholic					
Protestant					
Other					
Level of education					
Primary		1.0		1.0	
Secondary				0.5**	
Tertiary		0.2^{**}		0.7^{*}	
Country					
Norway					
Denmark					
Belgium					
Portugal			 ,		

Extradyadic activity at the most recent sexual intercourse




The person you had sex with most recently was NOT your current regular spouse or committed partner



Extradyadic activity at the most recent sexual intercourse (AOR)

	Men	Women		
Age				
Level of education				
Sexual activity throughout life				
	ale ale ale			
Relationship happiness	1.5 ***			
Perceived intimacy		2.5 *		
Partner has sexual difficulties	0.7 *			
Partners share the same sexual likes and dislikes	2.5 ***			
Country				
Norway different from Portugal	0.4 *			



Men and women 60-75 yrs in Norway who use the Internet for activities connected to love and sex (percent)

Men	Women
42	15

The use of internet for love and sexual activities (%).

		ng out dating	Re	ead or	Buying sex		Seek	ing sexual
		sites	V	vatch	products		information or	
	to fin	d a partner	porn	pornography		advice		
Age	Men	Women	Men	Women	Me	n Women	Men	Women
60-64 years	6*		40***					
65-69 years	3		31					
70-75years	4		26					
Number of tim	es masturba	ited the past moni						
None		3***	13***	3***	7**	4***		4*
Monthly		7	36	5	9	7		7
Weekly or		4	63	16	13	12		7
daily								
Country								
Norway	4***	5***	39***		10*	4*	5***	4**
Denmark	3	2	32		8	6	3	2
Belgium	8	6	34		10	6	11	6
Portugal	1	2	13		4	1	10	7

Conclusions

- Most older adults are sexually active and satisfied
 - Sub-groups less sexually active and less sexually satisfied:
 - 1) Women,
 - 2) Non-partnered individuals,
 - 3) Men and women over the age of 70 years; and
 - 4) Women with only primary education.
- Compared to 10 years ago, most older adults have unchanged or lower sexual interest and enjoyment
 - Health is the most important predictor of sexual interest and enjoyment in men
 - Feeling intimate with one's partner is the most important predictor of sexual interest and enjoyment in women
- Sexual problems are relatively widespread in older adults
- Few older adults seek help for sexual problems, and health personnel do not ask about it